

超音波真皮画像装置

デンマーク CORTEX TECHNOLOGY 社製 DermaLab[®]・DermaScan[®] 文献リスト

- 1) **Antonova M., Wienecke T., Olesen J., Ashina M.,**
Prostaglandin E2 induces immediate migraine-like attack in migraine patients without aura. Cephalalgia 32 (11) 822-833.
- 2) **Bamber J. C., Harland C. C., Gusterson B. A., Mortimer P. S.,**
Correlation between histology and high resolution echographic images of small skin tumors.
Acoustical Imaging, vol. 19, Plenum Press, New York.
- 3) **Béguin A.,**
A novel micronutrient supplement in skin aging: a randomized placebo-controlled double-blind study. Journal of Cosmetic Dermatol. 2005, 4, 277-284.
- 4) **C. Christ, R. Brenke, S. Sattler, W. Siems, A. Daser,** *Improvement in skin elasticity in the treatment of cellulite and connective tissue weakness by means of Extracorporeal Pulse Activation Therapy: EPAT[®].*
Aesthetic Surgery Journal, New York 2007.
- 5) **Chifor R., Hedesiu M., Bolfa P., Catoi C., Crisan M., Serbanescu A., Badea A.F., Moga I., Badea M.E.,**
The evaluation of 20 MHz ultrasonography, computed tomography scans as compared to direct microscopy for periodontal system assessment.
Medical Ultrasonography 2011, Vol. 13, no. 2, 120-126.
- 6) **Egekvist Henrik, Bjerring Peter, Arendt-Nielsen Lars,**
Regional variations in pain controlled mechanical skin traumas from automatic needle insertions and relations to ultrasonography.
Skin Research and Technology 1999; 5: 247-254. ISSN 0909-752X.
- 7) **Eisenbeiss C., Welzel J., Schmeller W.,**
The influence of female sex hormones on skin thickness: evaluation using 20 MHz sonography. British Journal of Dermatology 1998; 138: 00-00.
- 8) **Fink J. S., Mermelstein H., Thomas A. S., Trow R. K. G.,**
The Use of intense pulsed light via quadra Q4 platinum as a potential treatment for cellulite: a pilot

study. Quadra Q4 Platinum IPL Therapy, Febr. 2005.

9) Fornage Bruno D.,

Current status of musculoskeletal sonography.

Applied Radiology October 1991

10) Fornage Bruno D., Duvic Madeleine,

High-frequency sonography of the skin.

Journal of the European Academy of Dermatology & Venereology 3 (1994) 47-55.

11) Fornage Bruno D., MD, McGavran H., MD, Duvic Madeleine, MD, Waldron Charlene A., RDMS.

Imaging of the Skin with 20-MHz US¹, Radiology 1993;189:69-76.

12) Gniadecka M., Gniadecki R., Serup J., Søndergaard J.,

Ultrasound Structure and Digital Image Analysis of the Subepidermal Low Echogenic Band in Aged Human Skin: Diurnal Changes and Interindividual Variability.

J. Invest Dermatol 102:362-365, 1994.

13) Gniadecka M., Jemec G. B. E.,

Quantitative evaluation of chronological ageing and photoageing in vivo: studies on skin echogenicity and thickness.

British Journal of Dermatology 1998; 138:00-00.

14) Gniadecka M., Quistorff B.,

Assessment of dermal water by high-frequency ultrasound: comparative studies with nuclear magnetic resonance.

British Journal of Dermatology 1996; 000: 00-00.

15) Gniadecka Monika,

Effects of ageing on dermal echogenicity.

Skin Research and Technology 2001; 7: 204-207.

16) Gniadecka Monika,

Dermal Oedema in Lipodermatosclerosis: Distribution, Effects of Posture and Compressive Therapy Evaluated by High-frequency Ultrasonography.

Acta Derm Venerol (Stockh.)74 1994;00: 000-000.

17) Gniadecka Monika,

Localization of dermal edema in lipodermatosclerosis, lymphedema, and cardiac insufficiency.

Journal American Academy Dermatology 1996;35:37-41.

- 18) Gniadecka Monika., Serup Jørgen., Søndergaard J.,**
Age-related diurnal changes of derma oedema: evaluation by high-frequency ultrasound.
British Journal of Dermatology (1994) 131, 849-855.
- 19) Groß U., Suter L., Hundeiker M.,**
Die 20 MHz-Sonographie als Hilfe bei der Planung der Therapie von Hauttumoren.
Akt. Dermatol. 19 (1993) 32-35.
- 20) Hachikabe M., Ohtsuka T., Yamazaki S.,**
Quantitative echographic analysis of photochemotherapy on systemic sclerosis skin.
Arch dermatol Res (2005) 296: 522-527.
- 21) Harland C. C., Bamber J. C., Gusterson B. A., Mortimer P. S.,**
High frequency, high resolution B-scan ultrasound in the assessment of skin tumours.
British Journal of Dermatology (1993) 128, 000-000 paper 866.
- 22) Harland C. C., Kale S.G., Jackson P., Mortimer P. S., Bamber J. C.,**
Differentiation of common benign pigmented skin lesions from melanoma by high-resolution ultrasound.
British Journal of Dermatology 2000: 143: 1-10
- 23) Hu D., Phan T. T., Cherry G. W., Ryan T. J.,**
Dermal oedema assessed by high frequency ultrasound in venous leg ulcers.
British Journal of Dermatology 1998; 138: 00-00.
- 24) Jovanovic D.L., Pesic Z.U.,**
Preoperative skin tumor thickness determination by high-frequency ultrasound on head and neck region.
JEADV 2013, 27, 251-253.
- 25) Kieffer M. E., Efsen J.,**
Imedeen® in the treatment of photoaged skin: an efficacy and safety trial over 12 months.
Journal of the European Academy of Dermatology and Venereology 11 (1998) 129-136.
- 26) Kolbe L., Stoudemayer T., Kligman A. M.,**
Assessment of the atrophogenicity of corticosteroids to human skin using non-invasive methods.
Skin Research and Technology 1998; 4: 167-173, ISSN 0909-752X

- 27) Laurent P., Bonnet S., Alchas P., Regolini P., Mikszta J.A., Pettis R., Harvey N.G.,**
Evaluation of the clinical performance of a new intradermal vaccine administration technique and associated delivery system.
 Vaccine 25 (2007) 8833-8842.
- 28) Li X., Petrini L., Defrin R., Madeleine P., Arendt-Nielsen L.,**
High resolution topographical mapping of warm and cold sensitivities.
 Clinical Neurophysiology 119 (2008) 2641-2646.
- 29) Lee H. K., Seo Y. K., Baek J. H., Koh J. S.,**
Comparison between ultrasonography(DermaScan C ver. 3) and transparency profilometry Skin Visiometer SV600).
 Skin Research and Technology 2008; 14: 8-12.
- 30) Lucassen G. W., van der Sluys L. N., van Herk J. J., Nuijs A. M., Wierenga P. E., Barel A. O., Lambrecht R.,**
The effectiveness of massage treatment on cellulite as monitored by ultrasound imaging.
 Skin Research and Technology 1997;3: 154-160, ISSN 0909-752X
- 31) Nielsen T., Iversen H., Tfelt-Hansen P., Olesen J.,**
Small arteries can be accurately studied in vivo using high frequency ultrasound.
 Ultrasound in Med. & Biol. Vol 19. No. 9. pp. 717-725, 1993.
- 32) Nitsche N., Iro H., Hofmann K.,**
Ultraschalldiagnostik der äußeren Nase.
 HNO (1992) 40:181-185, © Springer-Verlag 1992
- 33) Nitsche N., Strasser G. M., Hoffmann K., Hilbert M., Arnold W.,**
Neue Aspekte der Hochfrequenzsonographie. Otorhinolaryngol Nova 1993;3:155-160.
- 34) Overgaard Olsen L. Takiwaki H., Serup J.,**
High-frequency ultrasound characterization of normal skin, Skin thickness and echographic density of 22 anatomical sites.
- 35) Polanska A., Danzak-Pazdrowska A., Silny W., Wozniak A., Maksin K., Jenerowicz D., Janicka-Jedynska M.,**
Comparison between high-frequency ultrasonography (DermaScan C Ver. 3) and Histopathology in atopic dermatitis.
 Skin Research and Technology 2013; 0: 1-6.

- 36) Rippon M. G., Springett K., Walmsley R., Patrick K., Millson S.,**
Ultrasound assessment of skin and wound tissue: comparison with histology.
 Skin Research and Technology ISSN 0909-752X, © Munksgaard, 1998
- 37) Rippon M. G., Springett K., Walmsley R.,**
Ultrasound evaluation of acute experimental and chronic clinical wounds.
 Skin Research and Technology 1999; 5: 228-236. ISSN 0909-752X
- 38) Sandby-Møller J., Wulf H.C.,**
Ultrasonic subepidermal low-echogenic band, dependence of age and body site.
 Skin Research and Techn. 2004; 10: 57-63.
- 39) Schou A.J., Heuck C., Wolthers O.D.,**
Ultrasound of Skin in Prednisone-induced Short-term Growth Suppression.
 Journal of Pediatric Endocrin. & Metabolism, 16, 973-980 (2003).
- 40) Schou A.J., Plomgaard A.M., Thomsen K., Wolthers O.D.,**
Lower leg growth suppression caused by inhaled glucocorticoids is not accompanied by reduced thickness of cutis or subcutis (2003).
- 41) Schou A.J., Plomgaard A.M., Wolthers O.D.,**
Methodological Aspects of High Frequency Ultrasound of Skin in Children.
 Skin Research and Technology 2004; 10: 200-206.
- 42) Seidenari S., Di Nardo A.,**
B Scanning Evaluation of Allergic Reactions with Binary Transformation and Image Analysis.
 Acta Derm Venerol (Stockh.) 71 1992;Suppl. 175:3-7.
- 43) Seidenari S., Di Nardo A., Pepe P. Giannetti A.,**
B scanning for assessment of allergic patch test reactions.
- 44) Seidenari S., Pagnoni A., Di Nardo A., Giannetti A.,**
Echographic Evaluation with Image Analysis of Normal Skin: Variations according to Age and Sex.
 Skin Pharmacol 1994;7:201-209.
- 45) Serup Jørgen, Jemec G. B. E.,**
Non-Invasive Methods and the Skin.
 Int. std. book no.: 0-8493-4453-0.

46) Serup Jørgen,

Ten Years´ Experience with High-Frequency Ultrasound Examination of the Skin: Development and Refinement of Technique and Equipment,

Ultrasound in Dermatology, © Springer-Verlag Berlin Heidelberg 1992

47) Troilius Agneta, Svendsen Gunnar, Ljunggren Bo,

Ultrasound Investigation of Port Wine Stains,

Acta Derm Venereol. (Stockh) 2000; 80: 196-199.

48) Van Den Kerckhove E., Staes F., Flour M., Stappaerts K., Boeckx W.,

Reproducibility of repeated measurements on post-burn scars with DermaScan C.

Skin Research and Technology 2003; 9: 81-84.